

## CATEGORY OF ORGANISMS ACCORDING TO RISK GROUP

Risk Group (RG)	BACTERIA, CHLAMYDIA MYCOPLASMA AND RICKETTSIA			
<b>RG 1</b>	All organisms <b>NOT</b> listed in Risk Group 2, 3 and 4 falls under <b>Risk Group 1</b>			
<b>RG 2</b>	<i>Acinetobacter baumannii</i> ( <i>Acinetobacter calcoaceticus</i> )	<i>Bacillus cereus</i>	- <i>Burkholderia pseudomallei</i> ( <i>Pseudomonas pseudomallei</i> )	<i>Corynebacterium</i> spp. including: - <i>Corynebacterium diphtheriae</i>
	<i>Acinetobacter lwoffii</i>	<i>Bacteroides</i> spp. including: - <i>Bacteroides fragilis</i>	<i>Campylobacter</i> spp. including: - <i>Campylobacter coli</i>	- <i>Corynebacterium minutissimum</i>
	<i>Actinobacillus actinomycetemcomitans</i>	<i>Bartonella bacilliformis</i> ( <i>Rochalimaea bacilliformis</i> )	- <i>Campylobacter fetus</i> - <i>Campylobacter jejuni</i>	- <i>Corynebacterium pseudotuberculosis</i>
	<i>Actinomadura madurae</i>	<i>Bartonella quintana</i> ( <i>Rochalimaea quintana</i> )	<i>Capnocytophaga</i> spp.	- <i>Corynebacterium renale</i>
	<i>Actinomadura pelletieri</i>	<i>Bartonella henselae</i> ( <i>Rochalimaea henselae</i> )	<i>Cardiobacterium hominis</i>	<i>Dermatophilus congolensis</i>
	<i>Actinomyces</i> spp. including: - <i>Actinomyces gerencseriae</i> - <i>Actinomyces israelii</i> - <i>Actinomyces pyogenes</i> ( <i>Corynebacterium pyogenes</i> )	<i>Bartonella vinsonii</i> ( <i>Rochalimaea vinsonii</i> )	<i>Chlamydia pneumoniae</i>	<i>Enterobacter</i> spp. including: - <i>Enterobacter aerogenes / cloacae</i>
	<i>Aeromonas hydrophila</i>	<i>Bordetella bronchiseptica</i>	<i>Chlamydia psittaci</i> (non avian strains)	<i>Enterococcus</i> spp.
	<i>Afipia</i> spp	<i>Bordetella parapertussis</i>	<i>Chlamydia trachomatis</i>	<i>Erysipelothrix rhusiopathiae</i>
	<i>Agrobacterium radiobacter</i>	<i>Bordetella pertussis</i>	<i>Citrobacter</i> spp	<i>Escherichia coli</i> – all enteropathogenic, enterotoxigenic, enteroinvasive and strain bearing K1 antigen, including <i>E. coli</i> O157:H7 or O103
	<i>Alcaligenes</i> spp.	<i>Borrelia</i> spp. including: - <i>Borrelia burgdorferi</i> - <i>Borrelia duttonii</i> - <i>Borrelia recurrentis</i>	<i>Clostridium</i> spp. including: - <i>Clostridium botulinum</i> - <i>Clostridium chauvoei</i> - <i>Clostridium haemolyticum</i>	
	<i>Amycolata autotrophica</i>	<i>Brucella ovis</i>	- <i>Clostridium histolyticum</i>	<i>Flavobacterium meningosepticum</i>
	<i>Archanobacterium haemolyticum</i> ( <i>Corynebacterium haemolyticum</i> )	<i>Burkholderia</i> spp. including: - <i>Burkholderia cepacia</i>	- <i>Clostridium novyi</i> - <i>Clostridium perfringens</i>	<i>Fluoribacter bozemanae</i> (formerly known as <i>Legionella</i> )
	<i>Arizona</i> spp – all serotypes	- <i>Burkholderia mallei</i> ( <i>Pseudomonas mallei</i> )	- <i>Clostridium septicum</i> - <i>Clostridium tetani</i>	<i>Francisella tularensis</i> (Type B)

<i>Fusobacterium</i> spp. including: - <i>Fusobacterium necrophorum</i>	- <i>Mycobacterium szulgai</i> - <i>Mycobacterium ulcerans</i>	<i>Salmonella</i> spp. including: - <i>Salmonella arizonae</i> - <i>Salmonella.cholerasuis</i> - <i>Salmonella enteritidis</i> - <i>Salmonella gallinarum-pullorum</i> - <i>Salmonella meleagridis</i> - <i>Salmonella paratyphi, A, B, C</i> - <i>Salmonella typhi</i> - <i>Salmonella typhimurium</i>	<i>Yersinia</i> spp ( <b>except</b> <i>Yersenia pestis</i> , ilsted in Risk Group 3) - <i>Yersinia enterocolitica</i> - <i>Yersenia pseudotuberculosis</i>
<i>Gardnerella vaginalis</i>	- <i>Mycobacterium xenopi</i>		
<i>Haemophilus</i> spp. including: - <i>Haemophilus ducreyi</i> - <i>Haemophilus influenzae</i>	<i>Mycoplasma caviae</i> <i>Mycoplasma hominis</i> <i>Mycoplasma pneumoniae</i>		
<i>Helicobacter pylori</i>	<i>Neisseria elongata</i>		
<i>Klebsiella</i> spp. including: - <i>Klebsiella pneumonia</i> - <i>Klebsiella oxytoca</i>	<i>Neisseria gonorrhoeae</i> <i>Neisseria meningitidis</i>		
<i>Legionella</i> spp. including: - <i>Legionella pneumophila</i>	<i>Nocardia</i> spp. including: - <i>Nocardia asteroides</i> - <i>Nocardia brasiliensis</i> - <i>Nocardia farcinica</i> - <i>Nocardia nova</i> - <i>Nocardia otitidiscaviarum</i> - <i>Nocardia transvalensis</i>	<i>Serpulina</i> spp. <i>Serratia liquefaciens</i> <i>Serratia marcescens</i> <i>Shigella boydii</i> <i>Shigella dysenteriae</i> (all serotypes) <i>Shigella flexneri</i> <i>Shigella sonnei</i>	
<i>Leptospira interrogans</i> – all serotypes		<i>Sphaerophorus necrophorus</i> <i>Staphylococcus aureus</i> <i>Stenotrophomonas maltophilia</i> <i>Streptobacillus moniliformis</i>	
<i>Listeria ivanovii</i>		<i>Streptococcus</i> spp. including: - <i>Streptococcus pneumoniae</i> - <i>Streptococcus pyogenes</i> - <i>Streptococcus suis</i>	
<i>Listeria monocytogenes</i>		<i>Treponema</i> spp. including: - <i>Treponema carateum</i> - <i>Treponema pallidum</i> - <i>Treponema pertenue</i>	
<i>Moraxella catarrhalis</i>		<i>Ureaplasma urealyticum</i>	
<i>Moraxella lacunata</i>	<i>Pasteurella</i> spp. including: - <i>Pasteurella multocida</i> ( <b>except</b> resistant strains listed in Risk Group 3)	<i>Vibrio</i> spp. including: - <i>Vibrio cholerae</i> - <i>Vibrio parahemolyticus</i> - <i>Vibrio vulnificus</i>	
<i>Morganella morganii</i>			
<i>Mycobacterium</i> spp. ( <b>except</b> those listed in Risk Group 3) including: - <i>Mycobacterium africanum</i>	<i>Peptostreptococcus</i> spp. including: - <i>Peptostreptococcus anaerobius</i> <i>Plesiomonas shigelloides</i> <i>Porphyromonas</i> spp. <i>Prevotella</i> spp. <i>Proteus mirabilis</i> <i>Proteus penneri</i> <i>Proteus vulgaris</i>		
<i>Mycobacterium avium / intracellulare</i> - <i>Mycobacterium asiaticum</i> - <i>Mycobacterium bovis</i> (BCG vaccine strain) - <i>Mycobacterium chelonae</i> - <i>Mycobacterium fortuitum</i> - <i>Mycobacterium kansasii</i> - <i>Mycobacterium leprae</i> - <i>Mycobacterium malmoense</i> - <i>Mycobacterium marinum</i> - <i>Mycobacterium microti</i> - <i>Mycobacterium paratuberculosis</i> - <i>Mycobacterium scrofulaceum</i> - <i>Mycobacterium simiae</i>	<i>Providencia</i> spp. including: - <i>Providencia alcalifaciens</i> - <i>Providencia rettgeri</i> <i>Pseudomonas aeruginosa</i> <i>Rhodococcus equi</i> <i>Rochalimaea</i> spp. (see <i>Bartonella</i> spp.)		

<b>RG 3</b>	<i>Bacillus anthracis</i>	<i>Coxiella burnetii</i>	<i>Pasteurella multocida</i> Type B - "buffalo" and other virulen strains	- <i>Rickettsia siberica</i> - <i>Rickettsia tsutsugamushi</i> - <i>Rickettsia typhi</i> ( <i>Rickettsia mooseri</i> )
	<i>Brucella</i> spp. (except <i>Brucella ovis</i> , listed in Risk Group 2) - <i>Brucella abortus</i> - <i>Brucella canis</i> - <i>Brucella melitensis</i> - <i>Brucella suis</i>	<i>Ehrlichia</i> spp. including: - <i>Ehrlichia sennetsu</i> ( <i>Rickettsia sennetsu</i> )	<i>Rickettsia</i> spp. including: - <i>Rickettsia akari</i> - <i>Rickettsia australis</i> - <i>Rickettsia canada</i> - <i>Rickettsia conorii</i> - <i>Rickettsia prowazekii</i> - <i>Rickettsia rickettsii</i> - <i>Rickettsia sennetsu</i> (see <i>Ehrlichia sennetsu</i> )	<i>Yersinia pestis</i>
		<i>Eikenella corrodens</i>		
		<i>Francisella tularensis</i> (Type A)		
		<i>Mycobacterium bovis</i> (except BCG strain, see Risk Group 2)		
	<i>Burkholderia</i> ( <i>Pseudomonas</i> ) <i>mallei</i>	<i>Mycobacterium tuberculosis</i> (multi-drug resistant strains)		
<i>Burkholderia</i> ( <i>Pseudomonas</i> ) <i>pseudomallei</i>				
<i>Chlamydia psittaci</i> (avian strains)				
<b>RG 4</b>	<b>NONE</b>			

Risk Group (RG)	VIRUSES AND PRIONS			
RG 1	All organisms <b>NOT</b> listed in Risk Group 2, 3 and 4 falls under <b>Risk Group 1</b>			
RG 2	<b>Adenoviridae</b> - Adenoviruses, all serotypes	<b>Flaviviridae</b> Genus: <i>Flavivirus</i> (Group B Arbovirus)	<b>Orthomyxoviridae</b> - Influenza virus type A, B and C except Influenza A, H5N1	Genus: <i>Enterovirus</i>
	<b>Arenaviridae</b> - Lymphocytic choriomeningitis virus (LCM); non-neurotropic strains; lppy, Mobala	- Dengue virus serotypes 1, 2, 3, and 4 - Yellow fever virus vaccine strain 17D Genus: <i>Hepacivirus</i> - Hepatitis C virus	- other tick-borne orthomyxovirus such as Dhori and Thogoto	- Coxsackie virus types A and B - Echoviruses - Polioviruses - Enterovirus serotypes 68 – 71
	- Tacaribe virus complex: Ampari, Latino, Parana, Pichinde, Tacaribe, Tamiami - Virus Hepatitis delta	<b>Hepadnaviridae</b> - Hepatitis B virus	<b>Papillomaviridae</b> Genus: <i>Papillomavirus</i> All Human papilloma viruses	Genus: <i>Rhinoviruses</i> Genus: <i>Hepatovirus</i> - Hepatitis A
	<b>Astroviridae</b> - Human astrovirus	<b>Herpesviridae</b> all Herpesviruses, <b>except</b> <i>Herpesvirus simiae</i> (Herpes B, see Risk Group 4):	<b>Paramyxoviridae</b> Genus: <i>Paramyxovirus</i>	<b>Polyomaviridae</b> - all isolates including BK and JC viruses, Simian virus 40 (SV 40)
	<b>Bunyaviridae</b> Genus: <i>Bunyavirus</i> - Bunyamwera virus, California encephalitis group, including LaCrosse virus Genus: <i>Phlebovirus</i> all species, <b>except</b> Rift Valley fever virus (see Risk Group 3), includes :	- Cytomegalovirus - Virus Epstein Barr - Herpes simplex type 1 and 2 - Herpes varisela-zoster - Human herpesvirus type 6 (HHV 6) - Human herpesvirus type 7 (HHV 7) - Human herpesvirus type 8 (HHV 8)	- <b>all isolates including Human parainfluenza viruses types 1, 2, 3 and 4, and Newcastle disease virus</b> Genus: <i>Pneumovirus</i> - all isolates including Respiratory Syncytial virus	<b>Poxviridae</b> - all type, <b>except Monkeypox virus and restricted poksvirus such as Alastrim, Smallpox, and Whitepox (see Risk Group 3 and 4); includes viruses:</b>
	- Rift Valley fever virus strains MP-12, Sandfly fever virus, Toscana, Uukuvirus Genus: <i>Nairovirus</i> - Hazara virus, Dugbe virus	<b>Flaviviridae</b> - Group B Arbovirus Genus: <i>Flavivirus</i> - Japanese encephalitis virus, yellow fever virus (wild type), West Nile fever, St. Louis encephalitis virus, Murray Valley encephalitis virus,	Genus: <i>Morbillivirus</i> - <b>all isolates including measles virus</b> Genus: <i>Rubulavirus</i> - Mumps virus Genus: <i>Metapneumovirus</i> - Human metapneumovirus	- <b>Buffalopox, Cowpox, nodule Milker's, Molluscum contagiosum, Orf, Vaccinia, Yabapox and Tanapox.</b>
	<b>Caliciviridae</b> all viruses including Norwalk virus, Sapovirus and Hepatitis E virus	<b>Ntayavirus group:</b> Israel turkey Meningitis virus <b>Modoc virus group:</b> Sal Vieja viirus, San Perlita virus	<b>Parvoviridae</b> Genus: <i>Parvovirus</i> - all isolates including Human parvovirus (B19)	<b>Reoviridae</b> Genus: <i>Coltivirus</i> - all type including Colorado tick fever virus
<b>Coronaviridae</b> Human coronavirus, (serotype 229E and OC43), <b>except</b> SARS coronavirus, (see Risk Group 3)	<b>Tentative species:</b> Rocio, Spondweni, Wesselsbron <b>Tick-borne encephalitis virus group:</b> Hanzalova, Absettarov, Hypr, Kumlinge, Louping Ill, Negishi, Powassan	<b>Picornaviridae</b> Genus: <i>Aphthovirus</i> Genus: <i>Cardiovirus</i>	Genus: <i>Rotavirus</i> -- all Human rotaviruses Genus: all isolates of <i>Orthoreovirus</i> and <i>Orbivirus</i>	

	<p><b>Rhabdoviridae</b> Genus: Lyssavirus - Rabies virus “fixed” virus / vaccine strains) Genus: Vesiculovirus - stomatitis Vesicular virus – laboratory adapted strains including VSV-Indiana, San Juan and Glasgow, Piry, Chandipura</p>	<p><b>Togaviridae</b> Genus: Alphavirus - Group A arboviruses - Bebaru, Barmah forest virus, Chikungunya, O’nyong-nyong, Ross river virus, Semliki forest virus, Sindbis, Venezuelan equine encephalomyelitis vaccine strains TC-83 only. Genus: Rubivirus - Rubella virus</p>		
RG 3	<p><b>Arenaviridae</b> - Flexal, Mopeia - Lymphocytic coriomeningitis virus (LCM) (neurotropic strains)</p>	<p><b>Coronaviridae</b> - SARS Coronavirus</p>	<p><b>Prions</b> - Transmissible spongiform encephalopathies (TME) agents: Bovine spongiform encephalopathy (BSE), Creutzfeldt-Jacob disease (CJD), Variant Creutzfeldt-Jacob disease, Fatal familial insomnia, GerstmannStraussler-Scheinker syndrome and Kuru</p>	<p><b>Togaviridae</b> – Group A arboviruses Genus: Alphavirus - Semliki Forest virus, Getah, Mayaro, Middleburg, Ndumu - Eastern equine encephalomyelitis, Western equine encephalomyelitis, Venezuelan equine encephalomyelitis virus (except the vaccine strains TC-83), Sagiya, Tonate, Mucambo</p>
	<p><b>Bunyaviridae</b> Genus: Hantaviruses - Hantaan virus (Korean haemorrhagic fever), Seoul, Sin Nombre virus, Belgrade, Puumala and unclassified Bunyaviruses Genus: Nairovirus - Bhanja Genus: Phlebovirus - Rift Valley fever virus</p>	<p><b>Paramyxoviruses</b> Genus: Henipah - Hendra (Equine morbillivirus), Nipah virus, Nipah-like virus</p> <p><b>Orthomyxoviridae</b> - Influenza A, H5N1.</p> <p><b>Poxviridae</b> - Monkeypox virus</p> <p><b>Retroviridae</b> - Human immunodeficiency virus (HIV) types 1 and 2 - Human T cell lymphotropic virus (HTLV and 2)) - Simian immunodeficiency virus (SIV)</p>		
RG 4	<p><b>Arenaviridae</b> Genus: Arenaviruses - Lassa, Guanarito, Junin, Machupo and Sabia</p>	<p><b>Filoviridae</b> - all Ebola virus and Marburg virus</p>	<p><b>Herpesviruses (alpha)</b> - Herpesvirus simiae (Herpes B or Monkey B virus)</p> <p>Hemorrhagic fever agents and viruses as yet undefined.</p>	<p><b>Poxviridae</b> -Variola major, variola minor, whitepox, alastrim (Importation of organisms including alastrim, smallpox (variola) and whitepox is strictly prohibited). All activities, including storage variola and whitepox, are restricted to a single facility (World Health Organization Collaborating Center for Smallpox Research, Centers for Disease Control and Prevention, Atlanta, Georgia, United States of America).</p>
	<p><b>Bunyaviridae</b> Genus: Nairovirus - Crimean-Congo hemorrhagic fever virus</p>	<p><b>Flaviridae (Togaviruses) – Group B arbovirus</b> - Tick-borne encephalitis virus complex including Central European encephalitis, Kyasanur Forest disease, Omsk hemorrhagic fever, and Russian spring-summer encephalitis viruses</p>		

Risk Group (RG)	PARASITE			
RG 1	All organisms <b>NOT</b> listed in Risk Group 2, 3 and 4 falls under <b>Risk Group 1</b>			
RG 2	<i>Acanthamoeba spp</i>	<i>Enterocytozoon bienersi</i>	<i>Opisthorchis felineus</i>	<i>Trichinella spiralis</i>
	Ancylostoma human hookworms including: - <i>Ancylostoma duodenale</i> , <i>Ancylostoma. ceylanicum</i>	<i>Fasciola gigantica</i>	<i>Opisthorchis sinensis (Clonorchis sinensis)</i>	<i>Trichomonas vaginalis</i>
	<i>Angiostrongylus spp.</i>	<i>Fasciola hepatica</i>	<i>Opisthorchis viverrini (Clonorchis viverrini)</i>	<i>Trichostrongylus spp.</i> including,
	<i>Anisakis simplex</i>	<i>Fasciolopsis buski</i>	<i>Paragonimus spp</i> including: - <i>Paragonimus westermani</i>	<i>Trichostrongylus orientalis</i>
	Ascaris spp. including: - <i>Ascaris lumbricoides</i> , <i>Ascaris suum</i>	<i>Giardia spp.</i> including: - <i>Giardia lamblia (Giardia intestinalis)</i>	<i>Plasmodium spp.</i> (human and simian) including: - <i>Plasmodium cynomologi</i> ,	<i>Trichuris trichiura</i>
	Babesia spp. including: - <i>Babesia divergens</i> , <i>Babesia microti</i>	<i>Heterophyes spp.</i>	<i>Plasmodium falciparum</i> ,	<i>Trypanosoma brucei sub-spp. except</i>
	<i>Balantidium coli</i>	<i>Hymenolepis diminuta</i>	<i>Plasmodium malariae</i> ,	<i>Trypanosoma brucei rhodesiense and</i>
	<i>Blastocystis hominis</i>	<i>Hymenolepis nana</i>	<i>Plasmodium ovale</i> , <i>Plasmodium vivax</i>	<i>Trypanosoma cruzi (see Risk Group 3)</i>
	Brugia filaria worms including: - <i>Brugia malayi</i> , <i>Brugia timori</i>	<i>Isospora belli</i>	<i>Sarcocystis sui hominis</i>	<i>including Trypanosoma brucei gambiense</i>
	<i>Capillaria spp.</i>	<i>Leishmania spp. (mammalian) except</i>	<i>Schistosoma spp.</i> including: - <i>Schistosoma haematobium</i> ,	<i>Wuchereria bancrofti filaria worms</i>
	<i>Coccidia</i>	<i>Leishmania braziliensis dan Leishmania donovani (see Risk Group 3)</i> including species:	<i>Schistosoma intercalatum</i> ,	
	<i>Contraecaecum osculatum</i>	- <i>Leishmania ethiopia</i> , <i>Leishmania major</i> , <i>Leishmania mexicana</i> ,	<i>Schistosoma japonicum</i> ,	
	Cryptosporidium spp. including: - <i>Cryptosporidium parvum</i>	<i>Leishmania peruvania</i> , <i>Leishmania tropica</i>	<i>Schistosoma mansoni</i> ,	
	Cyclospora spp including: - <i>Cyclospora cayetanensis</i>	<i>Loa loa filaria worms</i>	<i>Schistosoma mekongi</i>	
	Cysticercus cellulosae (hydatid cyst, larva of Taenia solium)	<i>Mansonella spp.</i> such as	<i>Strongyloides spp.</i> including: - <i>Strongyloides stercoralis</i>	
	<i>Dicrocoelium dendriticum</i>	- <i>Mansonella ozzardi</i> , <i>Mansonella perstans</i> , <i>Mansonella streptocerca</i>	<i>Taenia saginata</i>	
	<i>Dientamoeba fragilis</i>	<i>Metagonimus spp.</i>	<i>Taenia solium</i>	
	<i>Dracunculus medinensis</i>	<i>Microsporidium spp.</i>	<i>Toxocara spp.</i> including: - <i>Toxocara canis</i>	
	<i>Entamoeba histolytica</i>	<i>Naegleria spp. except Naegleria fowleri</i> , (see Risk Group 3)	<i>Toxoplasma spp.</i> including: - <i>Toxoplasma gondii</i>	
	<i>Enterobius vermicularis</i>	<i>Necator human hookworms</i> including: - <i>Necator. americanus</i>	<i>Trichinella nativa</i>	
<i>Enterocytozoon bienersi</i>	<i>Onchocerca filaria worms</i> including,	<i>Trichinella nelsoni</i>		
Echinococcus spp. such as: -- <i>Echinococcus granulosis</i> , <i>Echinococcus multilocularis</i> , <i>Echinococcus vogeli</i>	<i>Onchocerca volvulus</i>	<i>Trichinella pseudospiralis</i>		
Echinococcus spp. such as: -- <i>Echinococcus granulosis</i> , <i>Echinococcus multilocularis</i> , <i>Echinococcus vogeli</i>	<i>Leishmania braziliensis</i>	<i>Trypanosoma brucei rhodesiense</i>		
Echinococcus spp. such as: -- <i>Echinococcus granulosis</i> , <i>Echinococcus multilocularis</i> , <i>Echinococcus vogeli</i>	<i>Leishmania donovani</i>	<i>Trypanosoma cruzi</i>		
Echinococcus spp. such as: -- <i>Echinococcus granulosis</i> , <i>Echinococcus multilocularis</i> , <i>Echinococcus vogeli</i>	<i>Naegleria fowleri</i>			
RG 4	NONE			

Risk Group (RG)	FUNGI			
RG 1	NONE			
RG 2	<i>Asperigillus fumigatus</i>	<i>Dactylaria galopava (Ochroconis gallopavum)</i>	<i>Madurella grisea</i>	<i>Sporothrix schenckii</i> <i>Trichophyton</i> spp. including: - <i>Trichophyton rubrum</i>
	<i>Asperigillus flavus</i>		<i>Madurella mycetomatis</i>	
	<i>Candida albicans</i>	<i>Emmonsia parva var parva</i>	<i>Microsporum</i> spp	
	<i>Candida tropicalis</i>	<i>Emmonsia parva var crescens</i>	<i>Neotestudina rosatii</i>	
	<i>Cryptococcus neoformans var neoformans (Filobasidiella neoformans var neoformans)</i>	<i>Epidermophyton</i> spp. including: - <i>Epidermophyton floccosum</i> <i>Exophiala (Wangiella) dermatitidis</i>	<i>Penicillium marneffeii</i>	
			<i>Scedosporium apiospermum (Pseudallescheria boydii)</i>	
	<i>Cryptococcus neoformans var gattii (Filobasidiella bacillispora)</i>	<i>Fonsecaea compacta</i> <i>Fonsecaea pedrosoi</i>	<i>Scedosporium proliferans (inflatum)</i>	
RG 3	<i>Blastomyces dermatitidis (Ajellomyces dermatitidis)</i>	<i>Cladosporium trichoides</i>	<i>Histoplasma capsulatum</i> spp. including: - <i>Histoplasma capsulatum var capsulatum</i> - <i>Histoplasma capsulatum var farcinimosum</i> - <i>Histoplasma. capsulatum var. duboisii</i>	
		<i>Coccidioides immitis</i>		
	<i>Cladophialophora bantiana (Cladosporium bantianum, Xylohypha bantiana)</i>	<i>Paracoccidioides braziliensis</i>		
RG 4	NONE			

**Note: This is not a complete list.** For the purpose of these Regulations, any organism not listed in Risk Group 2, 3 or 4, should not be classified in Risk Group 1 until its characteristics and pathogenicity are verified in consultation with the Expert Committee on Prevention and Control of Infectious Disease, Ministry of Health, Malaysia.

#### References:

1. Seventh Schedule [Subregulation 6(1)], Prevention and Control of Infectious Diseases Act 1988, Prevention and Control of Infectious Diseases (Importation and Exportation of Human Remains, Human Tissues and Pathogenic Organisms or Substances) Regulation 2005.